

## Standard Response Matrix for First Responders

This serves as a guideline for call types that require first response as identified by Medical Control for Greenville County EMS.  
First Responders may be requested to additional call types based on information obtained during the calltake process by the emergency telecommunicator.

Determinate Descriptions	Case Determinant	Dispatch Level	Response	
			FR	
<b>1 - Abdominal Pain / Problems</b>				
Not alert	1-D-1	Charlie		
Ashen or gray color reported ≥ 50	1-D-2	Charlie		
Suspected aortic aneurysm (tearing / ripping pain) ≥ 50	1-C-1	Charlie		
Diagnosed aortic aneurysm	1-C-2	Charlie		
Fainting or near fainting ≥ 50	1-C-3	Charlie		
Females w/ fainting or near fainting 12-50	1-C-4	Charlie		
Males w/ pain above the naval ≥ 35	1-C-5	Charlie		
Females w/ pain above the navel ≥ 45	1-C-6	Charlie		
Abdominal pain	1-A-1	Alpha		
Testicle or groin pain (male)	1-A-2	Alpha		
<b>2 - Allergies (Reactions) / Envenomations (Stings / Bites)</b>				
Ineffective breathing	2-E-1	Delta		
Not alert	2-D-1	Delta		
Difficulty speaking between breaths	2-D-2	Delta		
Swarming attack (bees, wasps, hornets, etc.)	2-D-3	Charlie		
Snakebite	2-D-4	Bravo		
Funnel-web spider bite	2-D-5	Bravo		
Box jellyfish / tropical jellyfish sting	2-D-6	Bravo		
Blue ring octopus / cone shell sting	2-D-7	Bravo		
Difficulty breathing or swallowing	2-C-1	Charlie		
History of severe allergic reaction	2-C-2	Charlie		
Unknown status / other codes N/A	2-B-1	Bravo		
No difficulty breathing / swallowing (rash, hives, itching)	2-A-1	Alpha		
Spider bite	2-A-2	Alpha		
Non-tropical jellyfish sting	2-A-3	Alpha		
<b>3 - Animal Bites / Attacks</b>				
Arrest	3-D-1	Delta		
Unconscious	3-D-2	Delta		
Not alert	3-D-3	Charlie		
Chest / neck injury (w/ difficulty breathing)	3-D-4	Charlie		
Dangerous body area	3-D-5	Charlie		
Large animal	3-D-6	Charlie		
Exotic animal	3-D-7	Bravo		
Mauling or multiple animals	3-D-8	Charlie		
Attack in progress	3-D-9	Charlie		
Possibly dangerous body area	3-B-1	Charlie		
Serious hemorrhage	3-B-2	Charlie		
Unknown status / other codes N/A	3-B-3	Bravo		
Marked not dangerous body area w/ deformity	3-A-1	Alpha		
Not dangerous body area	3-A-2	Alpha		
Non-recent (≥6 hours) injuries (w/o priority symptoms)	3-A-3	Alpha		
Superficial injuries	3-A-4	Alpha		
<b>4 - Assault / Sexual Assault / Stun Gun</b>				
Arrest	4-D-1	Delta		

Unconscious	4-D-2	Delta	
Not alert	4-D-3	Charlie	
Chest or neck injuries (w/ difficulty breathing)	4-D-4	Charlie	
Multiple victims	4-D-5	Charlie	
Possibly dangerous body area	4-B-1	Charlie	
Serious hemmorage	4-B-2	Charlie	
Unknown status / other codes N/A	4-B-3	Bravo	
Marked not dangerous body area w/ deformity	4-A-1	Alpha	
Not-dangerous body area	4-A-2	Alpha	
Non-recent (≥6 hours) injuries (w/o priority symptoms)	4-A-3	Alpha	
<b>5 - Back Pain (Non-Traumatic or Non-Recent Trauma)</b>			
Not alert	5-D-1	Charlie	
Ashen or gray color reported ≥ 50	5-D-2	Charlie	
Suspected aortic aneuysm (tearing/ripping pain) ≥ 50	5-C-1	Charlie	
Diagnosed aortic aneurysm	5-C-2	Charlie	
Fainting or near fainting ≥ 50	5-C-3	Charlie	
Difficulty breathing	5-C-4	Charlie	
Non-traumatic back pain	5-A-1	Alpha	
Non recent (≥ 6 hours) traumatic back pain (w/o priority symptoms)	5-A-2	Alpha	
<b>6 - Breathing Problems</b>			
Ineffective breathing (from case entry)	6-E-1	Charlie	
Not alert	6-D-1	Charlie	
Difficulty speaking between breaths	6-D-2	Charlie	
Changing color	6-D-3	Charlie	
Clammy or cold sweats	6-D-4	Charlie	
Tracheostomy (obvious distress)	6-D-5	Charlie	
Abnormal breathing	6-C-1	Charlie	
Tracheostomy (no obvious distress)	6-C-2	Bravo	
<b>7 - Burns (Scalds) / Explosion (Blast)</b>			
Person on fire	7-E-1	Delta	
Multiple victims	7-D-1	Delta	
Arrest	7-D-2	Delta	
Unconscious	7-D-3	Delta	
Not alert	7-D-4	Charlie	
Difficulty speaking between breaths	7-D-5	Charlie	
Fire w/ persons reported inside	7-C-1	Charlie	
Difficulty breathing	7-C-2	Charlie	
Burns ≥ 18% body area	7-C-3	Charlie	
Significant facial burns	7-C-4	Charlie	
Blast injuries (w/o priority symptoms)	7-B-1	Bravo	
Unknown status / other codes N/A	7-B-2	Bravo	
Burns < 18% body area	7-A-1	Alpha	
Fire Alarm (unknown situation)	7-A-2	Alpha	
Minor burns	7-A-3	Alpha	
Sunburn	7-A-4	Alpha	
Non-recent (≥6 hours) burns/injuries (w/o priority symptoms)	7-A-5	Alpha	
<b>8 - Carbon Monoxide / Inhalation / HAZMAT / CBRN</b>			
Arrest	8-D-1	Delta	
Unconscious	8-D-2	Delta	
Not alert	8-D-3	Charlie	
Difficulty speaking between breaths	8-D-4	Charlie	
Multiple victims	8-D-5	Delta	
Unknown status / other codes N/A	8-D-6	Bravo	
Alert w/ difficulty breathing	8-C-1	Charlie	
Alert w/o difficulty breathing	8-B-1	Bravo	

CO detector alarm (scene contact w/o priority symptoms)	8-Ω-1	Alpha	
CO detector alarm (alarm only, no scene contact)	8-Ω-1	Alpha	
<b>9 - Cardiac or Respiratory Arrest / Death</b>			
Not breathing at all	9-E-1	Delta	
Uncertain breathing	9-E-2	Delta	
Hanging	9-E-3	Delta	
Strangulation	9-E-4	Delta	
Suffocation	9-E-5	Delta	
Ineffective breathing	9-D-1	Delta	
Obvious or expected death (questionable)	9-D-2	Bravo	
Obvious or expected death (unquestionable)	9-B-1	Bravo	
Expected death	9-Ω-1	Alpha	
<b>10 - Chest Pain / Chest Discomfort (Non-Traumatic)</b>			
Not alert	10-D-1	Delta	
Difficulty speaking between breaths	10-D-2	Charlie	
Changing color	10-D-3	Charlie	
Clammy or cold sweats	10-D-4	Charlie	
Heart attack or angina history	10-D-5	Charlie	
Abnormal breathing	10-C-1	Charlie	
Cocaine	10-C-2	Charlie	
Breathing normally ≥ 35	10-C-3	Charlie	
Breathing normally < 35	10-A-1	Alpha	
<b>11 - Choking</b>			
Complete obstruction / ineffective breathing	11-E-1	Delta	
Abnormal breathing (partial obstruction)	11-D-1	Delta	
Not alert	11-D-2	Charlie	
Not choking now (can talk / cry, alert and breathing normally)	11-A-1	Alpha	
<b>12 - Convulsions / Seizures</b>			
Not breathing	12-D-1	Delta	
Continuous or multiple seizures	12-D-2	Charlie	
Agonal / ineffective breathing	12-D-3	Charlie	
Effective breathing not verified ≥ 35	12-D-4	Charlie	
Focal / absent seizures (not alert)	12-C-1	Charlie	
Pregnancy / postpartum eclampsia	12-C-2	Charlie	
Diabetic	12-C-3	Charlie	
Not seizing now and effective breathing verified (> 6, confirmed no seizure disorder)	12-C-4	Bravo	
Hx of stroke or brain tumor	12-C-5	Bravo	
Overdose / poisoning	12-C-6	Charlie	
Atypical seizure	12-C-7	Charlie	
Effective breathing not verified < 35	12-B-1	Charlie	
Not seizing now and effective breathing verified (known seizure disorder)	12-A-1	Alpha	
Not seizing now and effective breathing verified (seizure disorder unknown)	12-A-2	Alpha	
Not seizing now and effective breathing verified (≤ 6, confirmed no seizure disorder)	12-A-3	Alpha	
Focal / absent seizures (alert)	12-A-4	Alpha	
Impending seizure (aura)	12-A-5	Alpha	
<b>13 - Diabetic Problems</b>			
Unconscious	13-D-1	Delta	
Not alert	13-C-1	Charlie	
Abnormal behavior	13-C-2	Charlie	
Abnormal breathing	13-C-3	Charlie	
Alert and behaving normally	13-A-1	Alpha	
<b>14 - Drowning / Near Drowning / Diving / SCUBA Accident</b>			
Arrest (out of water)	14-E-1	Delta	
Underwater (domestic rescue)	14-E-2	Charlie	
Unconscious	14-D-1	Delta	

Underwater (specialized rescue)	14-D-2	Bravo	
Stranded (specialized rescue)	14-D-3	Bravo	
Just resuscitated and/or defibrillated (external)	14-D-4	Delta	
Not alert	14-D-5	Charlie	
Suspected neck injury	14-D-6	Bravo	
Alert w/ abnormal breathing	14-C-1	Charlie	
Decompression sickness (the bends)	14-C-2	Charlie	
Alert and breathing normally (injuries or in water)	14-B-1	Bravo	
Obvious death (submersion ≥6 hours)	14-B-2	Bravo	
Unknown status / other codes N/A	14-B-3	Bravo	
Alert and breathing normally (no injuries and out of water)	14-A-1	Alpha	
<b>15 - Electrocution / Lightning</b>			
Not breathing / ineffective breathing	15-E-1	Delta	
Multiple victims	15-D-1	Delta	
Unconscious	15-D-2	Delta	
Not disconnected from power	15-D-3	Bravo	
Power not off or hazard present	15-D-4	Bravo	
Extreme fall (≥ 30 ft / 10m)	15-D-5	Charlie	
Long fall	15-D-6	Charlie	
Not alert	15-D-7	Charlie	
Abnormal breathing	15-D-8	Charlie	
Unknown status / other codes N/A	15-D-9	Bravo	
Alert and breathing normally	15-C-1	Bravo	
<b>16 - Eye Problems / Injuries</b>			
Not alert	16-D-1	Charlie	
Severe eye injuries	16-B-1	Bravo	
Moderate eye injuries	16-A-1	Alpha	
Minor eye injuries	16-A-2	Alpha	
Medical eye problems	16-A-3	Alpha	
<b>17 - Falls</b>			
Extreme falls (≥ 30ft / 10m)	17-D-1	Charlie	
Arrest	17-D-2	Delta	
Unconscious	17-D-3	Delta	
Not alert	17-D-4	Charlie	
Chest or neck injury (with difficulty breathing)	17-D-5	Charlie	
Long fall	17-D-6	Charlie	
Possibly dangerous body area	17-B-1	Charlie	
Serious hemorrhage	17-B-2	Charlie	
Fall down (not on) stairs	17-B-3	Bravo	
Unknown status / Other codes N/A	17-B-4	Bravo	
Marked not dangerous body area w/ deformity	17-A-1	Alpha	
Not dangerous body area	17-A-2	Alpha	
Non-recent (≥ 6 hrs)	17-A-3	Alpha	
Public assist (no injuries no priority symptoms)	17-A-4	Alpha	
<b>18 - Headache</b>			
Not alert	18-C-1	Charlie	
Abnormal breathing	18-C-2	Charlie	
Speech problems	18-C-3	Charlie	
Sudden onset of severe pain	18-C-4	Charlie	
Numbness	18-C-5	Charlie	
Paralysis	18-C-6	Charlie	
Change in behavior	18-C-7	Charlie	
Unknown status / other codes N/A	18-B-1	Bravo	
Breathing normally	18-A-1	Alpha	
<b>19 - Heart Problems / A.I.C.D.</b>			

Not alert	19-D-1	Delta	
Difficulty speaking between breaths	19-D-2	Charlie	
Changing color	19-D-3	Charlie	
Clammy or cold sweats	19-D-4	Charlie	
Just resuscitated and/or defibrillated (external)	19-D-5	Delta	
Firing of A.I.C.D.	19-C-1	Charlie	
Abnormal breathing	19-C-2	Charlie	
Chest pain / discomfort ≥ 35	19-C-3	Charlie	
Cardiac history	19-C-4	Charlie	
Cocaine	19-C-5	Charlie	
Heart rate < 50 bpm or ≥ 130 bpm (w/o priority symptoms)	19-C-6	Charlie	
Unknown status / other codes N/A	19-C-7	Charlie	
Heart rate ≥ 50 bpm or < 130 bpm (w/o priority symptoms)	19-A-1	Charlie	
Chest pain / discomfort < 35 (w/o priority symptoms)	19-A-2	Alpha	
<b>20 - Heat / Cold Exposure</b>			
Not alert	20-D-1	Charlie	
Multiple victims (w/ priority symptoms)	20-D-2	Charlie	
Heart attack or angina history	20-C-1	Charlie	
Change in skin color	20-B-1	Charlie	
Unknown status / other codes N/A	20-B-2	Bravo	
Alert	20-A-1	Alpha	
<b>21 - Hemorrhage / Lacerations</b>			
Arrest	21-D-1	Delta	
Unconscious	21-D-2	Delta	
Not alert	21-D-3	Charlie	
Dangerous hemorrhage	21-D-4	Charlie	
Abnormal breathing	21-D-5	Charlie	
Hemorrhage through tubes	21-C-1	Charlie	
Hemorrhage of dialysis fistula	21-C-2	Charlie	
Hemorrhage from varicose veins	21-C-3	Charlie	
Possibly dangerous hemorrhage	21-B-1	Charlie	
Serious hemorrhage	21-B-2	Charlie	
Bleeding disorder	21-B-3	Bravo	
Blood thinners	21-B-4	Bravo	
Not dangerous hemorrhage	21-A-1	Alpha	
Minor hemorrhage	21-A-2	Alpha	
<b>22 - Inaccessible Incident / Other Entrapments (Non-Traffic)</b>			
Mechanical / machinery / object entrapment	22-D-1	Charlie	
Trench collapse	22-D-2	Delta	
Structure collapse	22-D-3	Delta	
Confined space entrapment	22-D-4	Bravo	
Inaccessible terrain situation	22-D-5	Bravo	
Mudslide / avalanche	22-D-6	Bravo	
No longer trapped (unknown injuries)	22-B-1	Charlie	
Peripheral entrapment only	22-B-2	Charlie	
Unknown status / other codes N/A	22-B-3	Bravo	
No longer trapped (no injuries)	22-A-1	Alpha	
<b>23 - Overdose / Poisoning (Ingestion)</b>			
Narcotic / opioid arrest (Obvious)	23-E-1	Delta	
Narcotic / opioid arrest	23-D-1	Delta	
Changing Color	23-D-2	Delta	
Unconscious	23-D-3	Charlie	
Not alert	23-C-1	Charlie	
Abnormal breathing	23-C-2	Charlie	
Antidepressants (tricyclic)	23-C-3	Charlie	

Cocaine, methamphetamine (or derivatives)	23-C-4	Bravo	
Narcotics (heroin, morphine, methadone, etc)	23-C-5	Bravo	
Acid or alkali (lye)	23-C-6	Charlie	
Unknown status / other codes N/A	23-C-7	Bravo	
Poison Control request for response	23-C-8	Bravo	
Overdose (w/o priority symptoms)	23-B-1	Alpha	
Poisoning (w/o priority symptoms)	23-Ω-1	Alpha	

**24 - Pregnancy / Miscarriage**

Breech or cord			
Head visible / out			
Imminent delivery (≥ 6 months / 24 weeks)			
3rd trimester hemorrhage	24-D-4	Charlie	
High risk complications	24-D-5	Charlie	
Baby born (complications w/ baby)			
Baby born (complications w/ mother)			
Possible miscarriage with signs of life			
2nd trimester hemorrhage or miscarriage	24-C-1	Charlie	
1st trimester serious hemorrhage	24-C-2	Charlie	
Abdominal pain / cramping (< 6 months / 24 weeks and no fetus / tissue)	24-C-3	Charlie	
Baby born (no complications)			
Labor (delivery not imminent, ≥ 6 months / 24 weeks)	24-B-1	Bravo	
Unknown status / other codes N/A	24-B-2	Bravo	
1st trimester hemorrhage or miscarriage	24-A-1	Alpha	
Confirmed stillbirth situation (≥ 6 months / 24 weeks and no complications)	24-A-2	Alpha	
Waters broken (no contractions or presenting parts)			

**25 - Psychiatric / Abnormal Behavior / Suicide Attempt**

Arrest	25-D-1	Delta	
Unconscious	25-D-2	Delta	
Not alert	25-D-3	Charlie	
Dangerous hemorrhage	25-D-4	Charlie	
Near hanging, strangulation, or suffocation (alert w/ difficulty breathing)	25-D-5	Charlie	
Jumped now	25-D-6	Charlie	
Altered level of consciousness (history of mental health conditions)	25-C-1	Charlie	
Altered level of consciousness (no or unknown history of mental health conditions)	25-C-2	Charlie	
Altered level of consciousness (ingestion of medication/substances)	25-C-3	Charlie	
Altered level of consciousness (sudden change in behavior/personality)	25-C-4	Charlie	
Serious hemorrhage	25-B-1	Charlie	
Non-serious or minor hemorrhage	25-B-2	Bravo	
Threatening suicide	25-B-3	Bravo	
Jumper (threatening)	25-B-4	Bravo	
Near hanging, strangulation, or suffocation (alert w/o difficulty breathing)	25-B-5	Bravo	
Unknown status / other codes N/A	25-B-6	Bravo	
Non-suicidal and alert	25-A-1	Alpha	
Suicidal (not threatening) and alert	25-A-2	Alpha	
Suicidal ideation and alert (ingestion of medications/substances)	25-A-3	Alpha	
Non-suicidal and alert (history of mental health conditions)	25-Ω-1	Alpha	
Suicidal ideation and alert (history of mental health conditions)	25-Ω-2	Alpha	

**26 - Sick Person (Specific Diagnosis)**

Not Alert	26-D-1	Charlie	
Altered level of consciousness	26-C-1	Charlie	
Abnormal breathing	26-C-2	Charlie	
Sickle cell crisis / thalassemia	26-C-3	Bravo	
Autonomic dysreflexia / hyperreflexia	26-C-4	Bravo	
Acute adrenal insufficiency/crisis or Addison's disease	26-C-5	Charlie	
Unknown status / other codes N/A	26-B-1	Bravo	

Response		
FR		
<b>44 - Childbirth</b>		
44-D-1	Delta	
44-D-2	Delta	
44-D-3	Delta	
44-D-6	Delta	
44-D-7	Delta	
44-D-8	Delta	
44-C-4	Charlie	
24-Ω-1	Alpha	



No priority symptoms	26-A-1	Alpha	
Non-priority symptoms	26-A-2-12	Alpha	
Non-priority complaints	26-Ω-2-28	Alpha	
<b>27 - Stab / Penetrating Trauma</b>			
Arrest	27-D-1	Delta	
Unconscious	27-D-2	Delta	
Not alert	27-D-3	Delta	
Central wounds	27-D-4	Delta	
Multiple wounds	27-D-5	Charlie	
Multiple victims	27-D-6	Delta	
Non-recent (≥ 6 hrs) single central wound	27-B-1	Bravo	
Known single peripheral wound	27-B-2	Charlie	
Serious hemorrhage	27-B-3	Charlie	
Unknown status / other codes N/A	27-B-4	Bravo	
Obvious death	27-B-5	Bravo	
Non-recent (≥ 6 hrs) peripheral wounds (w/o priority symptoms)	27-A-1	Alpha	
<b>28 - Stroke (CVA) / Transient Ischemic Attack (TIA)</b>			
Not alert	28-C-1	Charlie	
Abnormal breathing	28-C-2	Charlie	
Sudden speech problems	28-C-3	Charlie	
Sudden weakness or numbness (one side)	28-C-4	Charlie	
Sudden paralysis or facial droop (one side)	28-C-5	Charlie	
Sudden loss of balance or coordination	28-C-6	Charlie	
Sudden vision problems	28-C-7	Charlie	
Sudden onset of severe headache	28-C-8	Charlie	
Stroke history	28-C-9	Charlie	
TIA (mini stroke) history	28-C-10	Bravo	
Breathing normally ≥ 35	28-C-11	Bravo	
Unknown status / other codes N/A	28-C-12	Bravo	
Breathing normally < 35	28-A-1	Alpha	
<b>29 - Traffic / Transportation Incidents</b>			
Major incident	29-D-1	Charlie	
High mechanism	29-D-2	Charlie	
High velocity impact	29-D-3	Charlie	
HazMat	29-D-4	Charlie	
Pinned (trapped) victim	29-D-5	Delta	
Arrest	29-D-6	Delta	
Unconscious	29-D-7	Delta	
Not alert w/ noisy breathing (abnormal)	29-D-8	Delta	
Not alert w/ normal breathing	29-D-9	Charlie	
Injuries	29-B-1	Charlie	
Serious hemorrhage	29-B-2	Charlie	
Other hazards	29-B-3	Charlie	
Low mechanism (1st or 2nd party caller)	29-B-4	Bravo	
Unknown status / other codes N/A	29-B-5	Bravo	
1st party caller w/ injury to not dangerous body area	29-A-1	Alpha	
No injuries reported (unconfirmed or ≥ 5 persons involved)	29-A-2	Alpha	
No injuries (confirmed for all persons up to 4)	29-Ω-1	Alpha	
<b>30 - Traumatic Injuries (Specific)</b>			
Arrest	30-D-1	Delta	
Unconscious	30-D-2	Delta	
Not alert	30-D-3	Charlie	
Chest or neck injury (with difficulty breathing)	30-D-4	Charlie	
High velocity impact / mass injury	30-D-5	Charlie	
Possibly dangerous body area	30-B-1	Charlie	

		<b>Response</b>
		<b>FR</b>
<b>47 - Gunshot / Penetrating Trauma</b>		
47-D-1	Delta	
47-D-2	Delta	
47-D-3	Delta	
47-D-4	Delta	
47-D-5	Charlie	
47-D-6	Delta	
47-B-1	Bravo	
47-B-2	Charlie	
47-B-3	Charlie	
47-B-4	Bravo	
47-B-5	Bravo	
47-A-1	Alpha	

		<b>Response</b>
		<b>FR</b>
<b>49 - Auto versus Pedestrian</b>		
49-D-2	Delta	

Serious hemorrhage	30-B-2	Charlie	
Unknown body area (remote patient location)	30-B-3	Bravo	
Marked not dangerous body area w/ deformity	30-A-1	Alpha	
Not dangerous body area	30-A-2	Alpha	
Non-recent (≥ 6 hrs) injuries (w/o priority symptoms)	30-A-3	Alpha	
<b>31 - Unconscious / Fainting (Near)</b>			
Ineffective breathing	31-E-1	Charlie	
Unconscious - agonal / ineffective breathing	31-D-1	Delta	
Unconscious - abnormal breathing	31-D-2	Delta	
Unconscious - effective breathing	31-D-3	Delta	
Unconscious - not alert	31-D-4	Delta	
Changing color	31-D-5	Charlie	
Alert w/ abnormal breathing	31-C-1	Charlie	
Fainting episode(s) and alert ≥ 35 (w/ cardiac history)	31-C-2	Charlie	
Females 12-50 w/ abdominal pain	31-C-3	Charlie	
Fainting episode(s) and alert ≥ 35 (w/o cardiac history)	31-A-1	Bravo	
Fainting episode(s) and alert < 35 (w/ cardiac history)	31-A-2	Alpha	
Fainting episode(s) and alert < 35 (w/o cardiac history)	31-A-3	Alpha	
<b>32 - Unknown Problem (Person Down)</b>			
Life status questionable	32-D-1	Charlie	
Standing, sitting, moving, or talking	32-B-1	Bravo	
Medical alarm (alert) notifications (no patient information)	32-B-2	Bravo	
Unknown status / other codes N/A	32-B-3	Bravo	
Caller's language not understood (no interpreter in center)	32-B-4	Charlie	
<b>33 - Transfer / Interfacility / Palliative Care</b>			
Suspected cardiac or respiratory arrest	33-D-1	Delta	
Just resuscitated and / or defibrillated (external)	33-D-2	Delta	
Not alert (acute change)	33-C-1	Bravo	
Abnormal breathing (acute onset)	33-C-2	Bravo	
Significant hemorrhage	33-C-3	Bravo	
Shock	33-C-4	Charlie	
Possible acute heart problems or MI (heart attack)	33-C-5	Charlie	
Severe pain	33-C-6	Bravo	
Emergency response requested	33-C-7	Charlie	
Acuity 1 (no priority symptoms)	33-A-1	Alpha	
Acuity 2 (no priority symptoms)	33-A-2	Alpha	
Acuity 3 (no priority symptoms)	33-A-3	Alpha	
<b>34 - (ACN) Automatic Crash Notification</b>			
High mechanism	34-D-1	Charlie	
Injuries involved	34-B-1	Charlie	
Multiple victims (one ambulance)	34-B-2	Charlie	
Multiple victims (additional ambulances)	34-B-3	Charlie	
Airbag / other automatic sensor (no voice)	34-B-4	Bravo	
Unknown situation / other codes not applicable	34-B-5	Bravo	
Not dangerous injuries (1st party and single occupant)	34-A-1	Alpha	
No injuries (refer to police)	34-Ω-1	Alpha	
<b>36 - Pandemic / Epidemic / Outbreak</b>			
Ineffective breathing with flu-like symptoms	36-D-1	Delta	
Difficulty speaking between breaths with flu-like symptoms	36-D-2	Delta	
Not alert with flu-like symptoms	36-D-3	Delta	
Changing color with flu-like symptoms	36-D-4	Delta	
Abnormal breathing with single flu-like symptom or Asthma / COPD	36-C-1	Charlie	
Abnormal breathing with multiple flu-like symptoms	36-C-2	Charlie	
Chest pain / discomfort ≥ 35 with single flu-like symptom	36-C-3	Charlie	
Chest pain / discomfort ≥ 35 with multiple flu-like symptoms	36-C-4	Charlie	



High risk	36-C-5	Charlie	
Chest pain / discomfort < 35 with single flu-like symptom	36-A-1	Alpha	
Chest pain / discomfort < 35 with multiple flu-like symptoms	36-A-2	Alpha	
Flu-like symptoms only (cough, fever, chills, Sweats, sore throat, vomiting, diarrhea, musc	36-A-3	Alpha	
<b>38 - Advanced Send (Medical Miranda)</b>			
Reported excited delirium	38-D-1	Charlie	
High velocity impact	38-D-2	Charlie	
Critical injuries	38-D-3	Delta	
Multiple victims	38-D-4	Delta	
Unconscious	38-D-5	Delta	
Not alert	38-D-6	Charlie	
Difficulty breathing	38-D-7	Charlie	
Chest pain / discomfort ≥ 35	38-C-1	Charlie	
Childbirth	38-C-2	Delta	
Fit	38-C-3	Charlie	
Stroke	38-C-4	Charlie	
Serious illness	38-C-5	Charlie	
Unknown status (medical)	38-C-6	Bravo	
Possibly dangerous body area	38-B-1	Charlie	
Serious hemorrhage	38-B-2	Charlie	
Tasered	38-B-3	Bravo	
Unknown status (trauma)	38-B-4	Bravo	
Not dangerous body area	38-A-1	Alpha	
Minor injuries	38-A-2	Alpha	
Minor illness	38-A-3	Alpha	
Minor hemorrhage	38-A-4	Alpha	
Chest pain / discomfort < 35 (without priority symptoms)	38-A-5	Alpha	
Fall (ground level)	38-A-6	Alpha	
Aerosol / mace exposure	38-A-7	Alpha	
<b>39 - Active Assailant</b>			
Active Assailant	39-E-1	Delta	